Volume 321 1997

Contents

Letters to the Editor

Statistical excess of foreground galaxies around high-z radio-galaxies
Benítez N., Martínez-González E., Martín-Mirones J.M. L1

EROS VARIABLE STARS: Discovery of Beat Cepheids in the Small Magellanic Cloud and the effect of metallicity on pulsation
Beaulieu J.P., Krockenberger M., Sasselov D.D., Renault C., Ferlet R., Vidal-Madjar A., Maurice E., Prévot L., Aubourg E., Bareyre P., Brehin S., Coutures C., Delabrouille N., de Kat J., Gros M., Laurent B., Lachièze-Rey M., Lesquoy E., Magneville C., Milsztajn A., Moscoso L., Queinnec F., Rich J., Spiro M., Vigroux L., Zylberajch S., Ansari R., Cavalier F., Moniez M., Gry C. L5

The barium stars in the Hertzsprung–Russell diagram
Bergeat J., Knapik A. L9

First results of ISO-SWS observations of Saturn: detection of CO_2, CH_3C_2H, C_4H_2 and tropospheric H_2O
de Graauw T., Feuchtgruber H., Bézard B., Drossart P., Encrenaz T., Beintema D.A., Griffin M., Heras A., Kessler M., Leech K., Lellouch E., Morris P., Roelfsema P.R., Roos-Serote M., Salama A., Vandenbussche B., Valentijn E.A., Davis G.R., Naylor D.A. L13

A stellar endgame – the born-again Sakurai's object
Asplund M., Gustafsson B., Lambert D.L., Kameswara Rao N. L17

A two-component infrared nebula around HR Carinae
Voors R.H.M., Waters L.B.F.M., Trams N.R., Käufl H.U. L21

On the nature of SMC X-1
Li X.-D., van den Heuvel E.P.J. L25

The formation of bipolar planetary nebulae
Mellema G. L29

The "human" statistics of terrestrial impact cratering rate
Jetsu L. L33

IUE observations of Beryllium II lines in Lithium-rich giant stars
De Medeiros J.R., Lèbre A., de Garcia Maia M.R., Monier R. L37

Discovery of C I around 51 Ophiuchi
Lecavelier des Etangs A., Vidal-Madjar A., Backman D.E., Deleuil M., Lagrange A.-M., Lissauer J.J., Ferlet R., Beust H., Mouillet D. L39

Comment on the dispersion-velocity of galactic dark matter particles
Bienaymé O., Pichon C. L43

Cosmology

Comparison of stars and decaying neutrinos as additional sources of the intergalactic UV background
Masperi L., Savaglio S. 1

The Sachs–Wolfe effect
White M., Hu W. 8

Influence of a partial incompleteness of the sample on the determination of the Hubble constant
Witasse O., Paturel G. 10

Testing the effect of geodesic mixing with COBE data to reveal the curvature of the universe
Gurzadyan V.G., Torres S. 19

Distribution of galaxies at large redshift and cosmological parameters from the magnification bias in Cl 0024+1654
Fort B., Mellier Y., Dantel-Fort M. 353

Substructure effects on the collapse of density perturbations
Del Popolo A., Gambera M. 691

X-ray emission from neutron stars in dark clusters
De Paolis F., Ingrosso G. 696

Extragalactic astronomy

The gravitational lensing nature of the Cloverleaf unveiled in CO (7–6) line emission
Alloin D., Guilloteau S., Barvainis R., Antonucci R., Tacconi L. 24

Effects of star cluster evolution on emission line ratios and the application to H II galaxies. Including a calibration of the R_{23} vs. 12+log (O/H) relationship
Olofsson K. 29

Chemical evolution of damped Lyα systems
Matteucci F., Molaro P., Vladilo G. 45

The large-scale structure of the diffuse radio halo of the Coma cluster at 1.4 GHz
Deiss B.M., Reich W., Lesch H., Wielebinski R. 55

An X-ray and radio study of the cluster A 2717
Liang H., Pierre M., Unewisse A., Hunstead R.W. 64

Depolarization of radio synchrotron emission in spiral galaxies
Chi X., Young E.C.M., Beck R. 71

(RN) A candidate supernova in the ultraluminous infrared galaxy IRAS 12112+0305
Trentham N. 81

The ESO Nearby Abell Cluster Survey. III. Distribution and kinematics of emission-line galaxies
Biviano A., Katgert P., Mazure A., Moles M., den Hartog R., Perea J., Focardi P. 84

Radio spectra of Gigahertz Peaked Spectrum radio sources
de Vries W.H., Barthel P.D., O'Dea C.P. 105

The fundamental plane of early-type galaxies: non-homology of the spatial structure
Prugniel P., Simien F. 111

The optical variability of QSOs. II. The wavelength dependence
Cristiani S., Trentini S., La Franca F., Andreani P. 123

The absorbers towards Q 0836+113
Benítez N., Martínez-González E., Sanz J.L., Aguirre A., Alises M. 129

M/L_B and [*Fe/H*] of elliptical galaxies and the initial mass function
Angeletti L., Giannone P. 343

Nebular gas abundances and mixing processes in the ringed galaxy NGC 4736
Martin P., Belley J. 363

On the galaxy surrounding the BL Lacertae object MS 0205.7+3509
Falomo R., Kotilainen J., Pursimo T., Sillanpää A., Takalo L., Heidt J. 374

Velocity dispersions and mass-to-light ratios for 9 globular clusters in M 31
Dubath P., Grillmair C.J. 379

A search for molecular gas in high redshift radio galaxies
van Ojik R., Röttgering H.J.A., van der Werf P.P., Miley G.K., Carilli C.L., Visser A., Isaak K.G., Lacy M., Jenness T., Sleath J., Wink J. 389

The extended narrow line region in Mkn 79. II. Modelling
Nazarova L.S., O'Brien P.T., Ward M.J. 397

Hickson 96: a physical compact group
Verdes-Montenegro L., del Olmo A., Perea J., Athanassoula E., Márquez I., Augarde R. 409

Anisotropic stellar systems with tangentially biased velocity dispersion
Bertin G., Leeuwin F., Pegoraro F., Rubini F. 703

Studies of the Centaurus cluster. III. Luminosity functions of individual Hubble-types as compared to Virgo and Fornax
Jerjen H., Tammann G.A. 713

Stellar systems following the $R^{1/m}$ luminosity law. II. Anisotropy, velocity profiles, and the fundamental plane of elliptical galaxies
Ciotti L., Lanzoni B. 724

The nature of intermediate-redshift damped Ly α absorbers
Le Brun V., Bergeron J., Boissé P., Deharveng J.M. 733

Candidate polar-ring galaxies in the Hubble Deep Field
Reshetnikov V.P. 749

The ringed, warped and isolated galaxy NGC 6015
Verdes-Montenegro L., Bosma A., Athanassoula E. 754

The neutral gas content of X-ray bright elliptical galaxies
Braine J., Henkel C., Wiklind T. 765

Emission line flux limits in four QSO metal line absorbers
Bergvall N., Östlin G., Karlsson K.G., Örndahl E., Rönnback J. 771

Galactic structure and dynamics

Lensing of unresolved stars towards the Galactic Bulge
Alard C. 424

Transport of relativistic nucleons in a galactic wind driven by cosmic rays
Ptuskin V.S., Völk H.J., Zirakashvili V.N., Breitschwerdt D. 434

An analytical method for inferring the law of gravity from the macroscopic dynamics: Spherical and thin-disk mass distributions with exponential density
Rodrigo-Blanco C. 444

Formation, structure and evolution of stars

Stellar evolution with rotation. II. A new approach for shear mixing
Maeder A. 134

Amplitude monitoring of the β Cephei star 16 Lacertae
Sareyan J.P., Chauville J., Chapellier E., Alvarez M. 145

Magnetic field generation in close binary systems
Moss D., Tuominen I. 151

On the role of resonances in nonradial pulsators
Buchler J.R., Goupil M.-J., Hansen C.J. 159

Magnetic loops on rapidly rotating stars
Unruh Y.C., Jardine M. 177

Forbidden emission lines in Herbig Ae/Be stars
Corcoran M., Ray T.P. 189

Synchronization in the early-type detached binary stars
Kai-ke Pan 202

The formation of black-holes in low-mass X-ray binaries
Portegies Zwart S.F., Verbunt F., Ergma E. 207

UV Observations of dwarf novae in quiescence – effects of evaporation?
la Dous C., Meyer F., Meyer-Hofmeister E. 213

Physical properties of 90 AU to 250 AU pre-main-sequence binaries
Brandner W., Zinnecker H. 220

Two variable radio sources near the position of GRB 940301
Galama T.J., de Bruyn A.G., van Paradijs J., Hanlon L., Groot P.J., van der Klis M., Strom R., Spoelstra T., Bennett K., Fishman G., Hurley K. 229

Short-lived radionuclide production by non-exploding Wolf–Rayet stars
Arnould M., Paulus G., Meynet G. 452

Stellar evolution with rotation. I. The computational method and the inhibiting effect of the μ-gradient
Meynet G., Maeder A. 465

Spectroscopic study of GRO J1655–40: the outburst and the decline
Bianchini A., Della Valle M., Masetti N., Margoni R. 477

The influence of gravitational settling and selective radiative forces in PG 1159 stars. II
Unglaub K., Bues I. 485

Quantitative spectroscopic criteria for the classification of pre-main sequence low-mass stars
Martín E.L. 492

The highly veiled T Tauri stars DG Tau, DR Tau, and DI Cephei
Hessman F.V., Guenther E.W. 497

Unexpected variations in pulsar flux-densities at mm-wavelengths
Kramer M., Xilouris K.M., Rickett B. 513

Geometrical effects on radio pulsar profiles and spectra
Sieber W. 519

Spectral and timing behaviour of GS 2023+338
Oosterbroek T., van der Klis M., van Paradijs J., Vaughan B., Rutledge R., Lewin W.H.G., Tanaka Y., Nagase F., Dotani T., Mitsuda K., Miyamoto S. 776

Spectropolarimetry of symbiotic stars: AG Draconis
Schmid H.M., Schild H. 791

Spectrophotometry of flares and short time scale variations in weak line, and classical T Tauri stars in Chamaeleon
Guenther E.W., Emerson J.P. 803

Time-series photometric spot modeling. III. Thirty years in the life of HK Lacertae
Oláh K., Kővári Z., Bartus J., Strassmeier K.G., Hall D.S., Henry G.W. 811

Rapid uniform rotation of protoneutron stars
Goussard J.O., Haensel P., Zdunik J.L. 822

RX J1838.4-0301: an accreting pulsar or coronal X-ray emission?
Mereghetti S., Belloni T., Nasuti F.P. 835

(RN) On the possible origin of λ Boo stars
Andrievsky S.M. 838

High resolution dynamic spectrum of a spectacular radio burst from the flare star AD Leonis
Abada-Simon M., Lecacheux A., Aubier M., Bookbinder J.A. 841

Stellar atmospheres

Interstellar extinction and the intrinsic spectral distribution of variable carbon stars
Knapik A., Bergeat J. 236

The structure of the accretion disk rim in supersoft X-ray sources
Meyer-Hofmeister E., Schandl S., Meyer F. 245

Abundances of the ^{3}He star 3 Cen A (B5 IIIp) from ultraviolet IUE spectra
Castelli F., Parthasarathy M., Hack M. 254

Photon loss from the helium Lyα line – the key to the acceleration of Wolf–Rayet winds
Schmutz W. 268

Origin of the mid-infrared emission and supersonic jet toward LkH α234
Cabrit S., Lagage P.-O., McCaughrean M., Olofsson G. 523

Quantitative analysis of the FUV, UV and optical spectrum of the O3 star HD 93129A
Taresch G., Kudritzki R.P., Hurwitz M., Bowyer S., Pauldrach A.W.A., Puls J., Butler K., Lennon D.J., Haser S.M. 531

The gas-dynamic model of impulsive stellar flares
Katsova M.M., Boiko A.Y., Livshits M.A. 549

Two-fluid models for stationary dust driven winds. II. The grain size distribution in consideration of drift
Krüger D., Sedlmayr E. 557

Coronal X-ray emission of HD 35850: the ASCA view
Tagliaferri G., Covino S., Fleming T.A., Gagné M., Pallavicini R., Haardt F., Uchida Y. 850

Infrared stellar absorption lines around 1.6 μm: a new metallicity scale for old stellar populations
Origlia L., Ferraro F.R., Fusi Pecci F., Oliva E. 859

A study of the infrared spectrum of ψ Persei. I. A parameter study of the disc model
Marlborough J.M., Zijlstra J.-W., Waters L.B.F.M. 867

OH eruptive Mira stars
Etoka S., Le Squeren A.M. 877

Circumstellar disk variations around β Pictoris
Welsh B.Y., Craig N., Jelinsky S., Sasseen T. 888

ORFEUS observations of SVI, OVI and PV in the stellar wind from the nucleus of NGC 6543
Zweigle J., Grewing M., Barnstedt J., Gölz M., Gringel W., Haas C., Hopfensitz W., Kappelmann N., Krämer G., Appenzeller I., Krautter J., Mandel H. 891

Diffuse matter in space (including H II regions and planetary nebulae)

COMPTEL detection of low-energy gamma rays from the HVC Complex M and A region?
Blom J.J., Bloemen H., Bykov A.M., Burton W.B., Hartmann D., Hermsen W., Iyudin A.F., Ryan J., Schönfelder V., Strong A.W., Uvarov Y.A. 288

SiO production in interstellar shocks
Schilke P., Walmsley C.M., Pineau des Forêts G., Flower D.R. 293

High accuracy measurements of the interstellar magnetic field in the direction of pulsars with a new method
Smirnova T.V., Boriakoff V. 305

Determination of molecular cloud parameters using thermal methanol lines
Kalenskii S.V., Dzura A.M., Booth R.S., Winnberg A., Alakoz A.V. 311

The molecular envelope around T Tauri and the nature of NGC 1555
Schuster K.-F., Harris A.I., Russell A.P.G. 568

A molecular disk and dense outflow in Corona Australis
Anderson I.M., Harju J., Knee L.B.G., Haikala L.K. 575

Impact of medium effects on the cooling of non-superfluid and superfluid neutron stars
Schaab C., Voskresensky D., Sedrakian A.D., Weber F., Weigel M.K. 591

Carbon stars with detached dust shells: the circumstellar envelope of UU Aurigae
Bagnulo S., Skinner C.J., Doyle J.G., Camphens M. 605

Is it possible to detect frozen O_2 and N_2 on interstellar grains?
Strazzulla G., Brucato J.R., Palumbo M.E., Satorre M.A. 618

Thermal methanol emission in the DR 21 complex. Interferometric maps: a comparison with maser emission
Liechti S., Walmsley C.M. 625

Improved simulations of the planetary nebula luminosity function
Méndez R.H., Soffner T. 898

Molecular hydrogen morphology, kinematics and excitation in AFGL 2688 and NGC 7027
Cox P., Maillard J.-P., Huggins P.J., Forveille T., Simons D., Guilloteau S., Rigaut F., Bachiller R., Omont A. 907

The Sun

Solar dynamics over cycle 19 using sunspots as tracers
Nesme-Ribes E., Meunier N., Vince I. 323

Solar wind interaction with the magnetized interstellar medium. Shock-capturing modeling
Pogorelov N.V., Semenov A.Y. 330

SVD preprocessing of helioseismic data for solar structure inversion
Basu S., Christensen-Dalsgaard J., Thompson M.J. 634

Some properties of sunspot umbral dots
Tritschler A., Schmidt W. 643

Problems in measuring prominence oscillations
Sütterlin P., Wiehr E., Bianda M., Küveler G. 921

The second solar spectrum. A new window for diagnostics of the Sun
Stenflo J.O., Keller C.U. 927

Nonlinear wave heating of solar coronal loops
Poedts S., Goedbloed J.P. 935

The solar system

Tomography of a sunward structure in the dust tail of comet 19P/Borrelly
Fulle M., Milani A., Pansecchi L. 338

(7) Iris: a possible source of ordinary chondrites?
Migliorini F., Manara A., Cellino A., Di Martino M., Zappalà V. 652

Solar wind velocity jumps across tangential discontinuities: Ulysses observations and kinetic interpretation
De Keyser J., Roth M., Tsurutani B.T., Ho C.M., Phillips J.L. 945

A deeper look at resonance trapping
Gomes R.S. 960

Celestial mechanics and astrometry

Hipparcos extragalactic link by means of absolute proper motions of stars related to galaxies: Kyiv solution
Kislyuk V.S., Rybka S.P., Yatsenko A.I., Kharchenko N.V. 660

Physical and chemical processes

Standing Rankine–Hugoniot shocks in accretion and wind flows in Kerr geometry
Ju-Fu Lu, Yu K.N., Feng Yuan, Young E.C.M. 665

Evolution of Kelvin–Helmholtz instabilities in radiative jets. II. Shock structure and entrainment properties
Rossi P., Bodo G., Massaglia S., Ferrari A. 672

The Hall effect and the decay of magnetic fields
Shalybkov D.A., Urpin V.A. 685

Polarized line formation by resonance scattering. II. Conservative case
Ivanov V.V., Grachev S.I., Loskutov V.M. 968

Re-analysis of scintillation effects from gravitational waves
Bracco C. 985

Coalescing neutron stars – gravitational waves from polytropic models
Ruffert M., Rampp M., Janka H.-T. 991

The galactic dynamo effect due to Parker-shearing instability of magnetic flux tubes. I. General formalism and the linear approximation
Hanasz M., Lesch H. 1007

(RN) Branching ratio measurement of N^+ inter-system lines, $2s2p^3\ {}^5S_2–2s^22p^2\ {}^3P_{2,1}$
Curry J.J., Gibson N.D., Lawler J.E. 1021

Response of a star to gravitational waves
Khosroshahi H.G., Sobouti Y. 1024

Preview of accepted papers (April 1997) 1027